

nedis

All you **need is** ...
Fabritallic Cables



Video Cables
Audio Cables

All you need is...

Fabritalic Cables

Video Cables

Audio Cables

Index

Video Cables	3
8K High Speed HDMI™ Cable	4
High Speed HDMI™ Cable with Ethernet	4
Composite Video Cable	6
Coax Cable 100dB	6
Satellite and Antenna Cable	7
HDMI™-Adapter	7
Audio Cables	11
Stereo Audio Cable	12
Headset Audio Cable	15
Subwoofer Cable	16
Digital Audio Cable	18
Stereo Audio Adapter	19
Stereo Audio Adapter 90° Angled	21
90° Angled Mono Audio Adapter	21
90° Angled Optical Audio Adapter	22
Digital Audio Splitter	22
Optical Audio Coupler	23
Banana Connector	23



A photograph of a family of three sitting on a dark brown sofa in a living room, viewed from behind. They are watching a television that displays a landscape scene. The woman on the left has long brown hair in a ponytail. The child in the middle has long blonde hair in a ponytail and is wearing a colorful patterned sweater. The man on the right is wearing a dark grey hoodie. The room is dimly lit, with a blue accent wall visible in the background.

Video Cables

Enjoy your favorite movies, series or games in razor sharp images by connecting your high quality devices with Nedis® Fabritallic video cables.



8K High Speed HDMI™ Cable
HDMI™ Connector - HDMI™ Connector

CVTB35000GY10	1.0 mtr
CVTB35000GY20	2.0 mtr



- Supports a maximum resolution of 8K@60Hz and bandwidth up to 48 Gbps.
- Supports technologies such as 3D, ARC, HDR, HDCP and HDMI-CEC.
- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear video quality.
- High Quality PPE insulation to ensure razor sharp picture.
- Multiple cable shielding, for maximum protector against radio frequency interference



High Speed HDMI™ Cable with Ethernet
HDMI™ Connector - HDMI™ Connector

CVTB34000GY05	0.5 mtr
CVTB34000GY10	1.0 mtr
CVTB34000GY20	2.0 mtr
CVTB34000GY30	3.0 mtr
CVTB34000GY50	5.0 mtr



- Supports a maximum resolution of 4K@60Hz and bandwidth up to 18 Gbps.
- Supports technologies such as 3D, ARC, HDR, HDCP and HDMI-CEC.
- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear video quality.
- High Quality PPE insulation to ensure razor sharp picture.
- Multiple cable shielding, for maximum protector against radio frequency interference.



High Speed HDMI™ Cable with Ethernet
HDMI™ Connector - HDMI™ Mini Connector

CVTB34500GY20 2.0 mtr



- Supports a maximum resolution of 4K@60Hz and bandwidth up to 18 Gbps.
- Supports technologies such as 3D, ARC, HDR, HDCP and HDMI-CEC.
- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear video quality.
- High Quality PPE insulation to ensure razor sharp picture.
- Multiple cable shielding, for maximum protector against radio frequency interference.



High Speed HDMI™ Cable with Ethernet
HDMI™ Connector - HDMI™ Micro Connector

CVTB34700GY20 2.0 mtr



- Supports a maximum resolution of 4K@60Hz and bandwidth up to 18 Gbps.
- Supports technologies such as 3D, ARC, HDR, HDCP and HDMI-CEC.
- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear video quality.
- High Quality PPE insulation to ensure razor sharp picture.
- Multiple cable shielding, for maximum protector against radio frequency interference.



Composite Video Cable

3x RCA male - 3x RCA male

CVTB24300GY20 2.0 mtr



RCA

- Supports a maximum resolution of 480P.
- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear video quality.
- Colour coded strain relief providing clear connection information for the user.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.
- High Quality PVC insulation to ensure razor sharp picture.



Coax Cable 100dB

IEC (coax) male - IEC (coax) female

CSTB40015WT20 2.0 mtr

CSTB40015WT50 5.0 mtr



IEC

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Quad shielded cable for enhanced reduction of electromagnetic interference (EMC).
- High grade bare copper coaxial conductor for superior signal transmission with minimal loss.
- Class A++ screening for maximum signal reception.



Satellite and Antenna Cable

F male - F male

CSTB41000GY20	2.0 mtr
CSTB41000GY50	5.0 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Quad shielded cable for enhanced reduction of electromagnetic interference (EMC).
- High grade bare copper coaxial conductor for superior signal transmission with minimal loss.
- Class A++ screening for maximum signal reception.




HDMI™ Adapter

HDMI™ input to HDMI™ output

CVTB34900GY



- Supports 4K@60Hz, Full-HD (1080p) & 3D
- Supports receivers and flatscreen TVs with ARC (Audio Return Channel)
- Supports Dolby TrueHD, DTS Master Audio, DTS-HD, DTS, Dolby Digital
- Backwards Compatible with previous HDMI™ standards



HDMI™ Adapter

CVTB34901GY

HDMI™ connector to HDMI™ output



- Supports 4K@60Hz, Full HD (1080p), and 3D
- Supports receivers and flatscreen TV's with ARC (Audio Return Channel)
- Supports Dolby TrueHD, DTS Master Audio, DTS-HD, DTS, Dolby Digital
- Backwards Compatible with previous HDMI standards



HDMI™ Adapter

CVTB34902GY

HDMI™ connector to HDMI™ output



- Supports 4K@60Hz, 1080P, 3D
- Supports receivers and flatscreen TV's with ARC (Audio Return Channel)
- Supports Dolby TrueHD, DTS Master Audio, DTS-HD, DTS, Dolby Digital
- Backwards Compatible with HDMI 1.3 (High Speed) and HDMI 1.2 (Standard)



HDMI™ Adapter

CVTB34903GY

HDMI™ connector to HDMI™ output



- Supports 4K@60Hz, Full HD (1080p), and 3D
- Supports receivers and flatscreen TV's with ARC (Audio Return Channel)
- Supports Dolby TrueHD, DTS Master Audio, DTS-HD, DTS, Dolby Digital
- Backwards Compatible with previous HDMI standards



HDMI™ Adapter

CVTB34904GY

HDMI™ connector to HDMI™ output



- Supports 4K@60Hz, Full HD (1080p), and 3D
- Supports receivers and flatscreen TV's with ARC (Audio Return Channel)
- Supports Dolby TrueHD, DTS Master Audio, DTS-HD, DTS, Dolby Digital
- Backwards Compatible with HDMI 1.3 (High Speed) and HDMI 1.2 (Standard)



HDMI™ Adapter

CVTB34906GY

HDMI™ mini connector to HDMI™ output



- Supports 4K@60Hz, Full HD (1080p), and 3D
- Supports receivers and flatscreen TV's with ARC (Audio Return Channel)
- Supports Dolby TrueHD, DTS Master Audio, DTS-HD, DTS, Dolby Digital
- Backwards Compatible with HDMI 1.3 (High-Speed) and HDMI 1.2 (Standard)



HDMI™ Adapter

CVTB34907GY

HDMI™ connector to HDMI™ output



- Supports 4K@60Hz, Full HD (1080p), and 3D
- Supports receivers and flatscreen TV's with ARC (Audio Return Channel)
- Supports Dolby TrueHD, DTS Master Audio, DTS-HD, DTS, Dolby Digital
- Backwards Compatible with HDMI 1.3 (High Speed) and HDMI 1.2 (Standard)

Audio Cables

Making sure your expensive Hi-Fi set produces the best sound quality possible is not difficult. Just connect your devices with Nedis® Fabritallic audio cables and start the party!





Stereo Audio Cable

3.5 mm male - 3.5 mm male



CATB22000GY05	0.5 mtr
CATB22000GY10	1.0 mtr
CATB22000GY20	2.0 mtr
CATB22000GY30	3.0 mtr
CATB22000GY50	5.0 mtr

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Stereo Audio Cable

3.5 mm male - 3.5 mm female



CATB22050GY20	2.0 mtr
CATB22050GY30	3.0 mtr
CATB22050GY50	5.0 mtr

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Stereo Audio Cable

3.5 mm male - 2x RCA male



3.5mm

CATB22200GY10	1.0 mtr
CATB22200GY20	2.0 mtr
CATB22200GY30	3.0 mtr
CATB22200GY50	5.0 mtr

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.


Stereo Audio Cable

3.5 mm male - 2x RCA female

CATB22250GY02	0.2 mtr
---------------	---------



3.5mm



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Stereo Audio Cable
2x RCA male - 2x RCA male



CATB24200GY10	1.0 mtr
CATB24200GY20	2.0 mtr
CATB24200GY30	3.0 mtr
CATB24200GY50	5.0 mtr

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Colour coded strain relief providing clear connection information for the user.
- Multiple twisted cable shielding, for maximum protector against radio frequency interference.




Stereo Audio Cable
2x RCA male - 2x RCA female



CATB24205GY20	2.0 mtr
CATB24205GY50	5.0 mtr

- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Colour coded strain relief providing clear connection information for the user.
- Multiple twisted cable shielding, for maximum protector against radio frequency interference.



Stereo Audio Cable

3.5 mm male - 2x 3.5 mm female

CATB22100GY02 0.2 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Headset Audio Cable

3.5 mm male - 2x 3.5 mm female

CATB22150GY02 0.2 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Subwoofer cable
RCA male - RCA male

CATB24000GY30 3.0 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Subwoofer cable
RCA male - RCA male

CATB24100GY30 3.0 mtr
CATB24100GY50 5.0 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Subwoofer Cable
RCA male - 2x RCA female

CATB24010GY02 0.2 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Colour coded strain relief providing clear connection information for the user.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.



Subwoofer Cable
2x RCA male - RCA female

CATB24020GY02 0.2 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Excellent grade oxygen free copper conductors for superior and crystal clear audio quality.
- Colour coded strain relief providing clear connection information for the user.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.




Digital Audio Cable

RCA Male - RCA Male

CATB24170GY10	1.0 mtr
CATB24170GY20	2.0 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- 24k gold-plated contacts for protection against corrosion and ensuring a solid data transfer.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- High quality coaxial conductor for superior and crystal clear digital audio quality.
- Multiple twisted cable shielding, for maximum protection against radio frequency interference.
- Supports 192kHz/24bit data transfer rate, to reproduce the latest High Definition surround sound formats.



Digital Audio Cable

TosLink male - TosLink male

CATB25000GY10	1.0 mtr
CATB25000GY20	2.0 mtr
CATB25000GY30	3.0 mtr



- Premium design aluminium alloy connector housing providing a durable product finish.
- Braided nylon cable protection for guaranteed long time reliability and protection against ultraviolet light effects.
- Supports 192kHz/24bit data transfer rate, to reproduce the latest High Definition surround sound formats.
- High quality optical fiber conductors, for lowest possible signal loss.



Stereo Audio Adapter
2x RCA Male - 3.5 mm Female

CATB22255AL




- 24 ct gold-plated contacts for optimal sound transmission
- Durable aluminium housing specifically designed for intensive usage



Stereo Audio Adapter
3.5 mm male to 6.35 mm female

CATB22935GD




- 24 ct gold-plated contacts for better sound transmissions
- Durable moulded adapter specifically designed for intensive usage and longer durability



Stereo Audio Adapter
3.5 mm female to 3.5 mm female

CATB22950GD



- Made from strong metal alloy
- Gold-Plated connections for better sound transmissions
- Stereo



Stereo Audio Adapter
6.35 mm male to 3.5 mm female

CATB23930GD




- Equipped with gold-plated contacts for better sound transmissions
- Delivers a clear stereo sound
- Compatible with any device with a 6.35 mm stereo audio
- Aluminium housing for intensive usage and longer durability



Stereo Audio Adapter 90° Angled

3.5 mm male to 3.5 mm female

CATB22975GY



- Equipped with gold-plated contacts for better sound transmissions
- Delivers a clear stereo sound
- Compatible with any device that has a 3.5 mm stereo audio or AUX-in port
- Aluminium housing for intensive usage and longer durability



90° Angled Mono Audio Adapter

RCA male to RCA female

CATB24920GD



- Gold-Plated
- 90° angled RCA adapter
- Strong material for intensive usage and longer durability



90° Angled Optical Audio Adapter

TosLink male to TosLink female

CATB25920GY



- Aluminium housing for intensive usage and longer durability



Digital Audio Splitter

TosLink Female - 2x TosLink Female

CATB25940GY



- Aluminium housing for intensive usage and longer durability




Optical Audio Coupler
TosLink female to TosLink female

CATB25950GY



- Aluminium housing for intensive usage and longer durability



Banana Connector
banana male

CATB26900GD



- Aluminium material for intensive usage and longer durability

